


涤棉纱卡

成份: T/C80/20 规格: 21*21 108*58 克重: 195GSM



涤棉纱卡

成份: T/C80/20 规格: 21*21 108*58 克重: 195GSM



涤棉纱卡

成份: T/C65/35 规格: 21*21 108*58 克重: 195GSM






涤棉厚纱卡

成份: T/C80/20 规格: 20*16 128*60 克重: 235GSM

501# 桔红		511# 黑色	
502# 浅兰		512# 中灰	
503# 宝兰		513# 红色	
504# 艳兰		514# 中兰	
505# 深兰		515# 凡兰	
506# 藏兰		516# 哈青	
507# 米黄		517# 邮电绿	
508# 米灰		518# 豆灰	
509# 深灰		519# 深藏青	
510# 白色		520# 橄榄绿	

涤棉厚纱卡

成份: T/C80/20 规格: 20*16 128*60 克重: 235GSM




涤棉厚纱卡

成份: T/C80/20


规格: 20*16 128*60

克重: 235GSM



涤棉厚纱卡

成份: T/C80/20 规格: 20*16 128*60 克重: 235GSM



涤棉厚纱卡

成份: T/C65/35 规格: 20*16 128*60 克重: 235GSM

621# 米黄		629# 桔红	
622# 烟灰		630# 紫红	
623# 兰色		632# 卡其	
624# 中兰		633# 白色	
625# 宝兰		634# 牛仔兰	
626# 深兰		635# 中兰	
627# 藏兰		636# 天兰	
628# 黑色		638# 深藏青	

涤棉厚纱卡

成份: T/C65/35

规格: 20*16 128*60

克重: 235GSM



特厚纱卡

成份: T/C80/20

规格: 16*12 108*56

克重: 270GSM

452# 桔红		458# 深灰	
453# 米黄		459# 宝兰	
454# 米色		460# 凡兰	
455# 卡其		461# 藏兰	
456# 灰色		462# 黑色	
457# 深灰		464# 漂白	

451#
红色



特厚纱卡

成份: T/C65/35 规格: 16*12 108*56 克重: 270GSM



加厚防静电纱卡

成份: T/C65/35 规格: 20*16 128*60 克重: 235GSM



加厚弹力纱卡

成份: T/C65/35 规格: 20*16+70D 克重: 250GSM

950# 米黄		960# 天兰	
951# 米色		961# 浅中兰	
952# 卡其		962# 中兰	
953# 中卡其		963# 宝兰	
954# 烟灰		964# 艳兰	
955# 浅灰		965# 凡兰	
956# 杆灰		966# 藏青	
957# 灰色		967# 藏兰	
958# 中灰		968# 深藏青	
959# 深灰		969# 黑色	

精品防静电细斜纹

成份: T/C65/35 规格: 32*32 130*70 克重: 150GSM

781# 豆绿		787# 兰色	
782# 浅灰		788# 宝兰	
783# 烟灰		789# 艳兰	
784# 兰灰		791# 深兰	
785# 卡其		792# 藏青	
786# 湖兰		794# 红色	

793# 黑色	
------------	--

加厚弹力纱卡

成份: T/C65/35 规格: 20*16+70D 克重: 250GSM





涤棉厚珠帆

成份: T/C80/20

规格: 21+21*10 72*40

克重: 250GSM

401# 红色		410# 凡兰	
402# 紫红		411# 深兰	
403# 桔红		412# 藏兰	
404# 黄色		413# (609#) 浅灰	
406# (602#) 湖兰		414# (610#) 黑色	
407# (603#) 中兰		415# 浅灰	
408# (604#) 宝兰		416# 深灰色	
409# (605#) 艳兰		417# 米黄	

涤棉厚珠帆

成份: T/C80/20

规格: 21+21*10 72*40

克重: 250GSM



精品细斜纹

成份: T/C65/35

规格: 32*32 130*70

克重: 150GSM



精品细斜纹

成份: T/C65/35 规格: 32*32 130*70 克重: 150GSM



CVC细斜纹

成份: CVC60/40

规格: 32*32 130*70

克重: 150GSM

248# 卡其		257# 米灰	
249# 浅军绿		258# 浅灰	
250# 大红		259# 中灰	
251# 桔红		260# 烟灰	
252# 白色		261# 藏兰	
253# 天兰		262# 凡兰	
254# 中兰		263# 藏青	
255# 宝兰		264# 深藏青	
256# 艳兰		265# 黑色	

CVC细斜纹

成份: CVC60/40 规格: 32*32 130*70 克重: 150GSM



涤棉细珠帆

成份: T/C80/20

规格: 21*21 96*55

克重: 160GSM


201# 红色		209# 中兰	
202# 桔红		210# 宝兰	
203# 黄色		211# 艳兰	
204# 紫红		212# 凡灰	
205# 豆绿		213# 深兰	
206# 湖兰		214# 藏青	
207# 兰灰		215# 米色	
208# 兰色		216# 米黄	

涤棉细珠帆

成份: T/C80/20

规格: 21*21 96*55

克重: 160GSM

217# 浅灰		220# 黑色	
218# 中灰		221# 湖兰	
219# 烟灰		222# 白色	



涤棉府绸

成份: T/C80/20 规格: 45*45 110*76 克重: 100GSM

001# 白色		011# 雪青色	
002# 米色		012# 浅兰	
003# 米黄		013# 天兰	
004# 杆灰		014# 湖兰	
005# 兰灰		015# 中兰	
006# 豆绿		016# 兰色	
007# 杆绿		017# 中湖兰	
008# 黄色		018# 艳兰	
009# 紫红		019# 宝兰	
010# 黑色		020# 卡其	

涤棉府绸

成份: T/C65/35 规格: 45*45 133*72 克重: 110GSM

1# 白色		11# 雪青兰	
2# 米色		12# 湖兰	
3# 米黄		13# 中兰	
4# 米灰		14# 浅兰	
5# 豆绿		15# 兰色	
6# 豆青		16# 中兰	
7# 翠兰		17# 宝兰	
8# 藏青		18# 艳兰	
9# 黑色		19# 天兰	
10# 雪青兰		20# 哈青	


全棉厚纱卡


成份: C100 规格: 20*16 128*60 克重: 230GSM

801# 红色		812# 黑色	
802# 桔红		813# 米色	
803# 紫红		814# 卡其	
804# 翠兰		815# 米灰	
805# 浅兰		816# 米卡	
806# 兰色		817# 灰色	
807# 中兰		819# 杆灰	
808# 宝兰		820# 深灰	
809# 凡兰		821# 军绿	
810# 深兰		822# 邮电绿	
811# 藏青		823# 白色	

全棉厚纱卡

成份: C100 规格: 20*16 128*60 克重: 230GSM

825# 墨绿色		834# 玫红	
826# 米色		835# 大红	
827# 深兰		836# 桔色	
828# 中兰		837# 深红	
829# 宝兰		838# 米黄	
830# 凡兰		839# 米灰	
831# 深绿		840# 浅灰	
832# 紫色		841# 深灰	



全棉厚珠帆

成份: C100 规格: 21+21*10 72*40 克重: 250GSM

901# 红色		918# 凡兰	
906# 桔黄		919# 深兰	
908# 杆灰		920# 藏青	
909# 哈青		921# 米色	
910# 黑色		923# 卡其	
911# 浅兰		925# 杆灰	
913# 翠兰		926# 深藏青	
914# 中兰		927# 白色	
916# 兰灰		928# 深墨绿	
917# 宝兰		929# 军绿	

701# 雪青兰		714# 米白	
702# 浅兰		715# 卡其	
703# 湖兰		716# 米灰	
704# 兰色		717# 中灰	
705# 宝兰		718# 中兰	
706# 艳兰		719# 湖兰	
707# 藏青		720# 浅灰	
708# 藏兰		721# 兰灰	
709# 深藏兰		722# 中灰	
710# 桔红		723# 深灰	
711# 红色		724# 凡兰	
712# 黑色		725# 深桔红	
713# 白色		727# 浅湖蓝	



含棉工装呢

成份: 100%POLYESTER

规格: 经300D 纬32/2

克重: 220GSM

2101# 白色		2111# 兰色	
2102# 豆绿		2112# 雪青色	
2103# 米色		2113# 兰色	
2104# 米黄		2114# 中兰	
2105# 浅兰		2115# 宝兰	
2106# 兰灰		2116# 艳兰	
2107# 天兰		2117# 哈青	
2108# 翠兰		2118# 凡兰	
2109# 中兰		2119# 藏青	
2110# 中兰色		2120# 深藏青	



三粒格

成份: T/C80/20 规格: 21*21 108*58 克重: 200GSM



100% Cotton Flame Retardant Fabric

1.CFR420AS 98%cotton 2%anti-static, 4/1 satin, 420gsm	Flame retardant: EN 11611; EN 11612 Anti static: EN 1149 Electric Arc: EN 61482
2.CFR350AS 98%cotton 2%anti-static, 4/1 satin, 350gsm	Flame retardant: EN 11611; EN 11612 Anti static: EN 1149 Chemical splash: EN 13034 Electric Arc: EN 61482
3.CFR320AS 98%cotton 2%anti-static, 3/1 twill, 320gsm	Flame retardant: EN 11611; EN 11612 Anti static: EN 1149 Electric Arc: EN 61482
4.DROTEX-CFR7.5 100%cotton, 3/1 twill, 7.5oz, 260~270gsm	Flame retardant: NFPA 2112,CGSB 155.20; EN 11611,EN 11612 Electric Arc: EN 61482
5.CFR260AS 98%cotton 2%anti-static, 3/1 twill, 260gsm	Flame retardant: EN 11611; EN 11612 Anti static: EN 1149 Chemical splash: EN 13034 Electric Arc: EN 61482
6.CFR240AS 98%cotton 2%anti-static, 3/1 twill, 240gsm	Flame retardant: EN 11611; EN 11612 Anti static: EN 1149 Electric Arc: EN 61482
7.CFR220AS-Pyrovatex 98%cotton 2%anti-static, 3/1 twill, 220gsm	Flame retardant: EN 11611; EN 11612 Anti static: EN 1149 Electric Arc: EN 61482
8.CFR50Z 100%cotton, 2/1 twill, 50Z 170gsm	Flame retardant: EN 11611;EN 11612 ; Electric Arc: EN 61482
9.CFR170 100%cotton 1/1plain, 170gsm	Flame retardant: EN 11611; EN 11612
10.CFR11 100%cotton, 1/1 canvas, 360gsm	Flame retardant: NFPA 2112,CGSB 155.20; EN 11611,EN 11612
11.CM150Z 100%cotton, 3/1 twill denim, 15oz, 500gsm	Flame retardant: NFPA 2112; EN 11611; EN 11612 Electric Arc: ASTM F 1959; EN 61482



COTTON POLYESTER Flame Retardant Fabric

12.CP320AS 80%cotton 19%polyester 1%anti-static, 4/1 satin, 320gsm	Flame Retardant: EN 11611; EN 11612 Anti static: EN 1149 Chemical Splash: EN13034 Electric Arc: EN 61482
13.CP300AS 75%cotton 24%polyester 1%anti-static, 4/1 satin, 300gsm	Flame Retardant: EN 11611; EN 11612 Anti static: EN 1149 Chemical Splash: EN 13034 Electric Arc: EN 61482 Hi Vis: EN 20471
14.CP350AS 75%cotton 24%polyester 1%anti-static, 2/2 twill, 350gsm	Flame Retardant: EN 11611; EN 11612 Anti static: EN 1149 Chemical Splash: EN 13034 Electric Arc: EN 61482
15.CPL350AS 65%cotton 34%polyester 1%anti-static, 3/1 twill, 350gsm	Flame Retardant: EN 11611; EN 11612 Anti static: EN 1149 Electric Arc: EN 61482
16.CP290AS 75%cotton 24%polyester 1%anti-static, 2/1 twill, 290gsm	Flame Retardant: EN 11611; EN 11612 Anti static: EN 1149 Chemical Splash: EN13034 Electric Arc: EN 61482
17.CP260AS 75%cotton 24%polyester 1%anti-static, 2/2 twill, 260gsm	Flame Retardant: EN 11611; EN 11612 Anti static: EN 1149 Chemical Splash: EN 13034 Electric Arc: EN 61482 Hi Vis: EN 20471
18.CP250AS 75%cotton 24%polyester 1%anti-static,2/2 twill, 250gsm	Flame Retardant: EN 11611; EN 11612 Anti static: EN 1149 Chemical Splash: EN 13034 Electric Arc: EN 61482

Elastane Flame Retardant Fabric

19.CM120Z 98%cotton 2% stretch, 3/1 twill, 400gsm	Flame retardant: NFPA 2112; EN 11611; EN 11612 Electric Arc: EN 61482
20.CP290AS-S 80%cotton 16%polyester 3% stretch 1% anti-static, 3/1 twill, 290gsm	Flame retardant: EN 11611 ; EN 11612 Anti static: EN 1149 Electric Arc: EN 61482
21.CNFR07-S 78%cotton 12%nylon 2% stretch, 3/1 twill, 260gsm	Flame retardant: EN 11611 ; EN 11612 Electric Arc: EN 61482
22.CN250AS-S 78%cotton 11%nylon 2% stretch 1% anti-static, 3/1 twill, 250gsm	Flame retardant: EN 11611 ; EN 11612 Anti static: EN 1149 Electric Arc: EN 61482
23.CT300AS 70%cotton 29%lyocell 1% anti-static, ripstop, 4/1 satin, 300gsm	Flame retardant: EN 11611 ; EN 11612 Anti static: EN 1149 Electric Arc: EN 61482



88% Cotton 12%Nylon Flame Retardant Fabric

24.DROTEX-CNFR07 88%cotton 12%nylon, 3/1twill, 7oz, 235~250gsm	Flame Retardant: NFPA 2112,CGSB 155.20; EN 11611; EN 11612 Electric Arc: EN 61482
25.DROTEX-CNFR09 88%cotton 12%nylon, 3/1twill, 9oz, 305gsm	Flame Retardant: NFPA 2112,CGSB 155.20; EN 11611; EN 11612 Electric Arc: EN 61482
26.CNFR08 88%cotton 12%nylon, 3/1twill, 8oz, 270gsm	Flame Retardant: NFPA 2112, CGSB 155.20; EN 11611; EN 11612 Electric Arc: EN 61482
27.CNFR11 88%cotton 12%nylon, 1/1 canvas, 11oz, 370gsm	Flame Retardant: NFPA 2112, CGSB 155.20; EN 11611; EN 11612 Electric Arc: EN 61482
28.CNFR5.5AS 86%cotton 12%nylon 2% anti-static, 2/1twill, 200gsm	Flame Retardant: EN 11611; EN 11612 Anti static: EN 1149 Chemical Splash: EN 13034 Electric Arc: EN 61482
29.CN260AS 86%cotton 12%nylon 2% anti-static, 4/1satin, 260gsm	Flame Retardant: EN 11611; EN 11612 Anti static: EN 1149 Chemical Splash: EN 13034 Electric Arc: EN 61482
30.CN310 88%cotton 12%nylon, 3/1twill, 310gsm	Flame Retardant: NFPA 2112 ;EN 11611; EN 11612 Electric Arc: EN 61482



Knitted Flame Retardant Fabric

31.CFR12OZ FLEECE 100% cotton fleece,400gsm	Flame retardant: NFPA 2112,CGSB 155.20; EN 11611;EN 11612 Electric Arc: EN 61482
32.CFR07K 100% cotton interlock, 235gsm	Flame retardant: NFPA 2112,CGSB 155.20; EN 11611;EN 11612 Electric Arc: EN 61482
33.IMJ170AS 60% modacrylic 38% cotton 2%anti-static, jersey, 170gsm	Flame retardant: EN 11611;EN 11612 Anti static: EN 1149 Hi Vis: EN 20471
34.IMK140 55% modacrylic 45% cotton, mesh, 140gsm	Flame retardant: EN 11611;EN 11612
35.IMF300 60% modacrylic 40% cotton fleece, 300gsm	Flame retardant: EN 11611;EN 11612
36.IMP240AS 60% modacrylic 38% cotton 2% anti-static, pique, 240gsm	Flame Retardant: EN 11611; EN 11612 Anti static: EN 1149 Electric Arc: EN 61482



Inherent FR Fabric

37.AM150-P
93% meta aramid 5% para
aramid 2% anti-static,
1/1 plain 4.5oz, 150gsm
Flame Retardant: NFPA 2112; EN 11611;
EN 11612;
Anti static: EN 1149
Electric Arc: EN 61482

38.AM210
93% meta aramid 5% para
aramid 2% anti-static,
2/1 twill 6oz, 210gsm
Flame Retardant: NFPA 2112; EN 11611;
EN 11612;
Anti static: EN 1149
Electric Arc: EN 61482

39.IVM200AS
49% meta aramid 49% FR
viscose 2% anti-static,
2/1 twill, 200gsm
Flame Retardant: NFPA 2112; EN 11611;
EN 11612;
Electric Arc: EN 61482

40.IVM120
50% meta aramid 50% FR
viscose, 1/1 plain, 120gsm
Flame Retardant: NFPA 2112; EN 11611;
EN 11612;

41.IMC270
60% modacrylic 38% cotton
2% anti-static, 2/1 twill, 270gsm
Flame Retardant: EN 11611; EN 11612
Anti static: EN 1149
Hi Vis: EN 20471
Electric Arc: EN 61482

42.MTA5.8OZ
48% modacrylic 37% lyocell
15% para-aramid, 2/1 twill,
200gsm
Flame Retardant: NFPA 2112; EN 11611;
EN 11612;
Anti static: EN 1149
Electric Arc: EN 61482

43.MTA250AS
48% modacrylic 36% Tencel
15% para-aramid 1% anti-static,
2/1 twill, 250gsm
Flame Retardant: NFPA 2112; EN 11611;
EN 11612;
Anti static: EN 1149
Electric Arc: EN 61482

44.MCA240AS
54% modacrylic 35% cotton
10% para-aramid 1% anti-static,
2/1 twill, 240gsm
Flame Retardant: NFPA 2112; EN 11611;
EN 11612;
Anti static: EN 1149
Electric Arc: EN 61482

45.MCA200AS
54% modacrylic 35% cotton
10% para-aramid 1% anti-static,
ripstop, 2/1 twill, 200gsm
Flame Retardant: NFPA 2112; EN 11611;
EN 11612;
Anti static: EN 1149

46.WMVN330
Wool Modacrylic Cellulose
Nylon, 2/1 twill, 330gsm
Flame Retardant: EN 11612 D3,E3

47.IVA240
65% FR viscose 33% aramid
2% anti-static, 2/1 twill,
240gsm
Flame Retardant: NFPA 2112; EN 11611;
EN 11612;
Anti static: EN 1149
Electric Arc: EN 61482

